

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(administrative near5 application) and (administrator with (edit\$5 near5 database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:59
L2	1026	(administrator with ((creat\$5 or edit\$5 or modif\$5) near5 database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:06
L3	83	I2 and (authentication near5 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:00
L4	82	I3 not I1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:00
L5	13	I4 and (select\$5 near5 language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:01
L6	76	(administrator with ((creat\$5 or edit\$5 or modif\$5 or maintain\$5) with (profile near5 database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:22
L7	18	I6 and (authenticat\$5 near5 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:23
L8	376	(administrator with ((creat\$5 or edit\$5 or modif\$5 or maintain\$5) with (user near5 profile)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:22
L9	100	I8 and (authenticat\$5 near5 user) and (login or logon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:23

EAST Search History

L10	54	I9 and ((login or authentication) near5 server) and ((application or web) near5 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 17:24
S1	213	((authenticat\$5 near5 server) same ("web server" or third-party or content) near5 server)) and ((authenticat\$5 near5 user) same (login and database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:03
S2	176	S1 and ((enabl\$5 or provid\$5 or allow\$5) near8 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:23
S3	134	S2 and "url"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:33
S4	2	S2 and ("url" near10 (application near5 id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:35
S5	11	S2 and ("url" near4 id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:48
S6	11	S5 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:36
S7	8	S2 and ("url" near4 identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:48
S8	8	S7 not S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:48
S9	153	((authenticat\$5 near5 server) same ("web server" or third-party or content) near5 server)) and ((authenticat\$5 near5 user) same (login and database)) and URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:31

EAST Search History

S10	23	S9 and (redirect\$5 near5 url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:54
S11	14	S9 and (redirect\$5 near5 (authenticat\$5 near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:54
S12	1	((authenticat\$5 near5 server) same (("web server" or third-party or content) near5 server)) and ((authenticat\$5 near5 user) same (login and database)) and URL and gui and ((creat\$5 and edit\$5) near5 profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 13:49
S13	0	((authenticat\$5 near5 server) same (("web server" or third-party or content) near5 server)) and ((authenticat\$5 near5 user) same (login and database)) and URL and gui and ((edit\$5 or creat\$5) near5 info)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:10
S14	2	"6678379".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 14:10
S15	159	726/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:30
S16	3	((authenticat\$5 near5 server) same (("web server" or third-party or content) near5 server)) and ((authenticat\$5 near5 user) same (login and database)) and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:08
S17	55	(provid\$5 near10 (list near5 (application or "web pages"))) and url and (token or cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:09
S18	40	S17 and GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:09

EAST Search History

S19	117	administrator same ((chang\$5 or edit\$5) near5 (user near profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:22
S20	25	S19 and gui	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:22
S21	2	"6226752".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 09:49
S22	2	"20010027527"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 09:50
S23	35	"6476833"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 09:50
S24	2	"6476833".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 09:58
S25	2	"20050125677"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:13
S26	0	((creat\$5 and edit\$5) near5 (configuration adj1 info))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:18
S27	1486	((creat\$5 and edit\$5) near5 configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:27
S28	395	S27 and (configuration near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:20

EAST Search History

S29	0	S28 and ((url near10 (application near5 id)) and (look\$5 near3 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:04
S30	94	S28 and "URL"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:26
S31	64	S30 and administrat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 10:26
S32	36	S31 and (authenticat\$5 near5 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 12:03
S33	0	S28 and (url near10 (application near5 id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:04
S34	5	S28 and (url near10 id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:17
S35	20	S31 and (authenticat\$5 near3 server) and (application adj1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:17
S36	9	S27 and ((administrat\$5 and authenticat\$5) near5 module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:27
S37	48	S31 and (authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 12:39
S38	1	S37 and (administrative near3 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 12:38

EAST Search History

S39	21	S37 and (user adj1 profile) and url	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 13:18
S40	23	(application adj1 server) near10 (redirect\$5 near5 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 10:13
S41	9	S40 and (administrat\$5 near5 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 11:44
S42	1829	"gui" and (administrat\$5 near5 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 11:44
S43	462	S42 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 11:45
S44	410	S43 and ((application or content) near5 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 11:45
S45	156	S44 and (authenticat\$5 near5 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 11:45
S46	132	S45 and "url"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 11:46
S47	1	S46 and ((creat\$5 and edit\$5) near5 ((user adj1 profile) or credentials or (authentication adj1 info\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 07:56
S48	39	administrator same ((creat\$5 and edit\$5) near8 (user near4 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 07:57

EAST Search History

S49	6	S48 and "GUI"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 07:58
S50	4	(application adj1 specific) with (authenticat\$5 adj1 module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:02
S51	412	(application adj1 specific) with authenticat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:03
S52	0	S51 and (natural adj1 language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:03
S53	3	S51 and (language near5 (specification or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:06
S54	55	(authenticat\$5 adj1 module) and (language near5 (specification or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 17:14
S55	15217	(language near5 (specification or configuration or setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 17:14
S56	55	(authenticat\$5 adj1 module) and (language near5 (specification or configuration)) and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 17:15
S57	23	S56 and (application adj1 specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 17:35
S58	2	"20050216421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 17:35

EAST Search History

S59	3	(configuration near5 database) and (authenticat\$5 with (target near4 application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:14
S60	87	(configuration near5 database) and (authenticat\$5 with application) and (administrative near5 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:16
S61	24	(database with (authenticat\$5 near7 application)) and (administrative near5 application) and (login near8 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:16
S62	2	"5701343".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:42
S63	303	(authenticat\$5 near8 ((USB or SIM) and (laptop or (mobile near6 (device or equipment or phone or station))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:45
S64	135	(basestation or server or network) with (authenticat\$5 near8 ((USB or SIM) and (laptop or (mobile near6 (device or equipment or phone or station))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:46
S65	140	((base near3 station) or basestation or server or network) with (authenticat\$5 near8 ((USB or SIM) and (laptop or (mobile near6 (device or equipment or phone or station))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:46
S66	96	((base near3 station) or basestation or server or network) with (authenticat\$5 with ((USB or SIM) near7 (laptop or (mobile near6 (device or equipment or phone or station))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 13:48
S67	15	((base near3 station) or basestation or server or network) with (authenticat\$5 with ((USB or SIM) near7 (laptop or (mobile near6 (device or equipment or phone or station))))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 11:26

EAST Search History

S68	2	"20020187808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:14
S69	2	"20060179304"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:14
S70	2	"6243816".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 10:59
S71	2	"20030163700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 11:02
S72	2	"5872844".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 11:10
S73	2	"6266415".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 11:10
S74	5	"6061451".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 11:40
S75	2	"6243816".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 14:21
S76	2	"20030229663".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 11:44
S77	2	"20030229663"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 11:50

EAST Search History

S78	0	"10385338"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 11:50
S79	1	"10/385,338"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 12:07
S80	2	"6362836".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/11 12:07
S81	2	"20050216421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 15:12
S82	2	"20050125677"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:55